

## L2. Numerical Measures of Data (Cont'd) - Relative Standing

### Example 1: Jelly Beans

Jelly Belly is basically the mad scientist of the candy world. There are over 100 flavours — some delightful, and some downright questionable. Perennial favourites include: Very Cherry, Buttered Popcorn, and Juicy Pear. But not every bean gets to live the sweet life forever. Retired flavours, tragically known as "has-beans," include Draft Beer, Mouldy Cheese, and Toothpaste.

At a contest, contestant were asked to guess, how many jelly beans were in a kilogram. Their answers are shown below:

852	861	862	862	863	865	868	871	878	880
882	882	888	891	891	894	894	895	898	899
899	903	907	909	919	926	926	934	937	948

- Calculate the median.
- Calculate the 25<sup>th</sup> percentile.
- Calculate the 75<sup>th</sup> percentile.
- Calculate the 55<sup>th</sup> percentile.
- Calculate the 30<sup>th</sup> percentile.

### Solution

**Example 2: Grading**

Academic marking was invented in Cambridge in 1792 - until then no one had thought to assign a numerical value to a piece of work. The grades (out of 100) for the first Class Exercise in this course are shown below:

21	22	22	25	25	25	25	26	32	32
34	37	41	42	42	46	49	59	63	67
71	72	73	73	74	77	78	82	82	83
83	89	92	92	94	95	95	97	98	100

- Calculate the median and interpret its meaning in the context of the problem.
- Calculate the interquartile range (IQR) and interpret it in the context of the problem.
- Calculate the 99<sup>th</sup> percentile.
- Calculate the 80<sup>th</sup> percentile.
- Calculate the 90<sup>th</sup> percentile.
- Calculate the 20<sup>th</sup> percentile.

**Solution**

**Example 3: The Horlicks Mountains**

Horlicks, the malted milk drink best known for knocking people out before bedtime, once had a much grander legacy. In 1930, explorer Richard Byrd, powered by Horlicks (and the urge to survive), decided to name an entire Antarctic mountain range "Horlick Mountains" in honour of the company that kept his expedition both hydrated and funded during his trek to the South Pole.

Several people were asked how many cups of Horlicks they drank in the past week to help them get to sleep. Their responses are shown below:

Cups of Horlicks	Number of People
2	12
4	17
6	15
8	21
10	19
12	16
14	20

- Calculate the median and interpret its meaning in the context of the problem.
- Calculate the first quartile.
- Calculate the third quartile.
- Calculate the interquartile range and interpret it in the context of the problem.
- Calculate the 98<sup>th</sup> percentile.
- Calculate the 60<sup>th</sup> percentile.
- Calculate the 5<sup>th</sup> percentile.

**Solution**

**Example 4: Tortoises**

In 2011, a celebrity pair of Galápagos tortoises broke up in spectacular fashion. Though the couple had happily cohabitated for about 90 years, they suddenly could no longer stand each other. They now live on opposite sides of a glass wall and Bibi hisses whenever she spots her ex.

Galápagos tortoises can weigh between  $135\text{ kg}$  to  $400\text{ kg}$  depending on their age, gender, and whether they are living in their natural habitat or in captivity. The table below shows the weights of several Galápagos tortoises:

Weight ( $kg$ )	Number of Tortoises
135 – 164	19
165 – 194	16
195 – 224	36
225 – 254	44
255 – 284	22
285 – 314	21
315 – 344	11
345 – 374	20
375 – 404	22

- Calculate the  $90^{th}$  percentile and interpret its meaning in the context of the problem.
- Calculate the median and interpret its meaning in the context of the problem.
- Calculate the first quartile.
- Calculate the third quartile.
- Calculate the  $40^{th}$  percentile.
- Calculate the  $15^{th}$  percentile.

**Solution**

**Example 5: Men in Grey Suits**

'Men in grey suits' is Australian slang for sharks. Surfers use it to alert people to their presence without causing too much anxiety. The lifespans of several male and female great white sharks are shown below:

Male Great White Sharks:

24 30 31 31 31 32 33 33 33 33  
34 34 34 36 37 38 38 39 39 40  
40 41 41 42 43 43 43 44 45 47

Female Great White Sharks:

30 31 31 32 33 35 35 36 36 36  
36 38 39 39 39 39 39 41 41 41  
42 43 43 43 43 44 45 52 53 55

- Compute and interpret the IQR for the male great white shark data.
- Identify any outlier in the male great white shark data if they exist.
- Compute and interpret the IQR for the female great white shark data.
- Identify any outlier in the female great white shark data if they exist.
- Compare and contrast the two datasets.

**Solution**